Application No. Applicant(s) 10/809,120 BOWMAN, HARRY FREDERICK Notice of Allowability Examiner Art Unit ROBERT L NASSER 3735 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to phone conversation of 12/5/2008. 2. The allowed claim(s) is/are 3 and 4. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) \(\subseteq \text{Some* c) \subseteq \text{None of the:} a) \square All 1. T Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. | Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413). Paper No./Mail Date 12/7/2008. Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. T Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material Other .

Application/Control Number: 10/809,120

Art Unit: 3735

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. James Neal on December 5, 2008.

The application has been amended as follows:

Claims 1, 2, and 5-9 have been canceled.

These claims were canceled so that claims 3 and 4 could be allowed.

The following is an examiner's statement of reasons for allowance:

Claims 3 and 4 are allowable. Claims 3 and 4 define over the art in that none of the art has two catheters in combination with the features of claim 1. The examiner notes that since both sensors of Alt are in the heart (vena cava and pulmonary artery), the examiner sees no motivation to add a second catheter and have more devices inside the heart

In addition, the examiner notes that while claims 4 was rejected under double patenting, claim 3 was not. Since claim 4 depends on claim 3, the double patenting rejection on claim 4 was in error.

The examiner further notes that the calculating means in paragraph 4 clearly refers to means responsive ... for calculating in paragraph f of claim 3.

Application/Control Number: 10/809,120

Art Unit: 3735

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ROBERT L. NASSER whose telephone number is (571)272-4731. The examiner can normally be reached on m-f 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor II can be reached on 571 272-4730. The phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Robert L. Nasser Jr/ Primary Examiner Art Unit 3735 Application/Control Number: 10/809,120 Page 4

Art Unit: 3735

RLN

December 7, 2008